

S12000 230V 3PH 50HZ #AVR #CONN #HAU

THE COMPLETE PETROL PACKAGE



S 12000 has an expectional quality and strength. It responds to all EEC markets requirements and it's a rare product, with such power, to complying with the EU regulations on noise emission (2000/14/CE). S 12000 offers all the features of a top class product: A powerful and economical engine, a strong and modern design and a long-run easy filling fuel tank. Perfect for intensive use, this generator is equiped with a control panel which allows to integrate many accessories and options for better confort and for optimal command.

Main Features		
Frequency	Hz	50
Voltage	V	230
Power factor	cos φ	0.8
Phase		3

Power Rating		
Emergency Standby Power ESP	kVA	13.9
Emergency Standby Power ESP	kW	11.1
Continuous power COP	kVA	11.8
Continuous power COP	kW	9.5

Ratings definition (According to standard ISO8528 1:2005)

Engine specifications		
Engine Brand		Honda
Model		GX630
[50Hz] Exhaust emission level		Stage V
Engine cooling system		Air
Displacement	cm³	688
Aspiration		Natural
Operating Speed-Nominal	rpm	3000
Speed governor		Mechanical
Fuel		Petrol
Oil capacity	l	1.9
Starting system		Electric



Alternator Specifications		
Туре		Brushes
Class		Н
IP protection		23
Poles		2
Frequency	Hz	50
Voltage regulation system		Electronic
Standard AVR		ASR

Dimensional data		
Length	(L) mm	960
Width	(W) mm	641
Height	(H) mm	667
Fuel tank capacity		24

Autonomy		
Fuel consumption at 75% of Load	l/h	4.23
Fuel consumption at 100% of Load	l/h	5.64
Running time at 75% of load	h	5.67
Running time at 100% of load	h	4.26

Noise level		
Guaranteed noise level (LWA)	dB(A)	96
Noise pressure level @ 7 m	dB(A)	68

GENSET CONTROL PANELS (CONN)

Mounted on the genset and complete of: instrumentation, control, protection of the generating set and sockets.



Commands:

- Start selector switch with key: OFF ON START
- Pushbutton Choke
- CONNector for AMF/RSS (Accessory available)

Protections:

- Magneto Thermal Protection
- Oil Guard

SOCKET TYPE

AS/NZS 3112 15A 250V

3

TRANSPORTATION KIT

- With fix handles
- With folding handles





The information is aligned with the Data file at the time of download. Printed on 27/06/2022 (ID 10038)

 $\textcircled{\sc c}2022 \mid \mathsf{PR}\ \mathsf{INDUSTRIAL}\ \mathsf{s.r.l.} \mid \mathsf{All}\ \mathsf{rights}\ \mathsf{reserved} \mid \mathsf{Image}\ \mathsf{shown}\ \mathsf{may}\ \mathsf{not}\ \mathsf{reflect}\ \mathsf{actual}\ \mathsf{package}.$ Specifications subject to change without notice

